



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/765,838	01/18/2001	Stephen William McCahon	P 6048.10001	9260
30615	7590 11/17/2004		EXAMINER	
	., JANKE & DURAND	CHOW, DOON Y		
1100 SW SIXTH AVENUE SUITE 1400			ART UNIT	PAPER NUMBER
PORTLAND	, OR 97204		2675	

DATE MAILED: 11/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		09/765,838	,838 MCCAHON ET AL.				
		Examiner	Art Unit				
		Dennis-Doon Cho					
Period fo	The MAILING DATE of this communication r Reply	n appears on the cover s	heet with the correspondence	address			
THE I - Exter after - If the - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR R MAILING DATE OF THIS COMMUNICATI nsions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communicatic period for reply specified above is less than thirty (30) days period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by eply received by the Office later than three months after the ad patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, howeve on. a reply within the statutory minimu eriod will apply and will expire SIX statute, cause the application to be	r, may a reply be tirnely filed  um of thirty (30) days will be considered tin  (6) MONTHS from the mailing date of this scome ABANDONED (35 U.S.C. § 133).				
Status							
1)🖂	Responsive to communication(s) filed on	23 July 2004.					
		This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims	X					
5)□ 6)⊠ 7)□	4) Claim(s) 1,3-32,34-36,38,39 and 42-48 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.  5) Claim(s) is/are allowed.  6) Claim(s) 1, 3-32, 34-36, 38, 39, 42-48 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or election requirement.						
Application	on Papers						
9)[	The specification is objected to by the Exa	miner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	Applicant may not request that any objection to						
	Replacement drawing sheet(s) including the confined the confine th						
Priority u	nder 35 U.S.C. § 119						
a)[	Acknowledgment is made of a claim for for All b) Some * c) None of:  1. Certified copies of the priority docur 2. Certified copies of the priority docur 3. Copies of the certified copies of the application from the International But ee the attached detailed Office action for a	nents have been receive nents have been receive priority documents have ireau (PCT Rule 17.2(a)	ed.  ed in Application No  been received in this Nationa  ).	al Stage			
Attachment	• •	_					
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948		erview Summary (PTO-413) per No(s)/Mail Date				
3) 🔲 Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/S No(s)/Mail Date	3/08) 5) 🔲 No	tice of Informal Patent Application (Pariser:	ГО-152)			

Art Unit: 2675

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 112

1. Claims 15-16 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 15-16 are depended from claim 2 which is cancelled by the amendment filed 9/15/03.

#### Election/Restrictions

2. Newly submitted claims 36, 38-39 and 42-43 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons:

Claims 36, 38-39 and 42-43 are directed to an interface for controlling an apparatus by moving a hand. Claims 36, 38-39 and 42-43 belong to a species which is different from the originally claimed species. The originally claimed species includes an interface for controlling an apparatus by rotating a ball surface (claim 35) or by moving a device over a diffusely reflecting surface (claim 34). Claims 1, 46 and 48 are generic.

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for prosecution on the merits. Accordingly, claims 36, 38-39 and 42-43 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

Art Unit: 2675

### Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 3-14, 17-32, and 46-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kokubo (5530456) in view of Nolte et al. (6342721).

Regarding to claims 1, 3-14,17-18, 21, 26-29, 46-48, Kokubo discloses a device for producing a control signal to control an apparatus based on the movement of a reflecting surface, comprising: a light source for illuminating the reflecting surface, wherein the reflecting surface is a portion of a human hand; a sensor for receiving from the reflecting surface a pattern of light; and an interface circuit for producing the control signal from the sensor electrical signal.

Kokubo does not disclose the sensor being a photo-emf sensor.

Nolte discloses a photo-emf sensor for sensing light. The emf sensor comprises a plurality of pair of electrodes and gallium arsenide (see claim 9) and a gap between adjacent electrodes. The emf sensor can be constructed in many different ways (see figures). For example, the emf sensor is constructed with coaxial electrodes (see Fig. 8), sets of parallel electrodes (see Fig. 9), or sets of perpendicular electrodes (see Fig. 10).

Art Unit: 2675

It would have been obvious to one ordinary skill in the art to use Nolte's photoemf sensor in Kokubo's device as the sensor because Nolte's emf sensor improved responsibility at constant power and detection area without the need to focus tightly, therefore, allowing the optimum beam crossing angle (col. 1, lines 61-65).

Regarding to claims 19-20, Kokubo does not explicitly disclose the light source produces linearly polarized light. However, using a light source that produces linearly polarized light in an input device is well known in the art. Therefore, it would have been obvious to one of ordinary skill in the art to use the well known light source in Kokubo's device because this well known light source works as well as the Kokubo's light source.

Regarding to claims 22-23, using optics for directing or enhancing light in an optical input device is well known in the art. It would have been obvious to one of ordinary skill in the art to use the known optics in Kokubo's device for the purpose of directing or enhancing light.

Regarding to claim 24-25, amplifying and filtering a sensor signal in an optical input device are well known in the art. It would have been obvious to one ordinary skill in the art to use the well known amplifying and filtering means in Kokubo's input device because the weak sensor signal generated by Kokubo's device needs to amplify and filter so that a stronger and purer sensor signal can be generated.

Regarding claims 30 -32, using an optical input device to control a display device for representing a 3D image, a robotic device, or virtual reality device is well known in the art, Thus, it would have been obvious to one of ordinary skill in the art to

Art Unit: 2675

use Kokubo's optical input device to control a display device for representing a 3D image, a robotic device, or a virtual reality device.

5. Claims 1, 3-14, 17-32, 35, 44, and 46-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bidiville et al. (5288993) in view of Nolte et al. (6342721).

1, 22-23, 26-29, 46 and 48, Bidiville discloses a device (mouse, trackball, column 2, lines 33-36) for producing a control signal to control an apparatus based on the movement of a reflecting surface, comprising: a light source for illuminating the reflecting surface; a sensor for receiving from the reflecting surface a pattern of light; and an interface circuit for producing the control signal from the sensor electrical signal.

Bidiville does not disclose the sensor being a photo-emf sensor.

Nolte discloses a photo-emf sensor for sensing light. The emf sensor comprises a plurality of pair of electrodes and gallium arsenide (see claim 9) and a gap between adjacent electrodes. The emf sensor can be constructed in many different ways (see figures). For example, the emf sensor is constructed with coaxial electrodes (see Fig. 8), sets of parallel electrodes (see Fig. 9), or sets of perpendicular electrodes (see Fig. 10).

It would have been obvious to one ordinary skill in the art to use Nolte's photoemf sensor in Bidiville's device as the sensor because Nolte's emf sensor improved responsibility at constant power and detection area without the need to focus tightly, therefore, allowing the optimum beam crossing angle (col. 1, lines 61-65). Regarding to claims 17-21, 35, 44, and 47, Bidiville does not explicitly disclose the light source comprising a laser or a coherent light source produces linearly polarized light. However, using a light source that comprises a laser or a coherent light source produces linearly polarized light in an input device is well known in the art. Therefore, it would have been obvious to one of ordinary skill in the art to use the well known light source in Bidiville's device because this well known light source works as well as the Bidiville's light source.

Regarding to claim 24-25, amplifying and filtering a sensor signal in an optical input device are well known in the art. It would have been obvious to one ordinary skill in the art to use the well known amplifying and filtering means in Bidiville's input device because the weak sensor signal generated by Bidiville's device needs to amplify and filter so that a stronger and purer sensor signal can be generated.

Regarding claims 30 -32, using an optical input device to control a display device for representing a 3D image, a robotic device, or virtual reality device is well known in the art, Thus, it would have been obvious to one of ordinary skill in the art to use Bidiville's optical input device to control a display device for representing a 3D image, a robotic device, or a virtual reality device.

6. Claims 34 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Piot et al. (6256016) in view of Nolte et al. (6342721).

Piot discloses an input device for controlling an apparatus by moving the device over a diffusely reflecting surface, comprising: a case; a support member for movably

Art Unit: 2675

supporting the case on the surface; a coherence light source disposed within the case for illuminating the surface; a sensor for receiving a corresponding moving speckle pattern of light and producing a sensor signal related to the movement; and an interface circuit for producing the control signal from the sensor signal.

Piot does not disclose the sensor being a photo-emf sensor.

Nolte discloses a photo-emf sensor for sensing light. The emf sensor comprises a plurality of pair of electrodes and gallium arsenide material (see claim 9) and a gap between adjacent electrodes. Nolte further discloses the emf sensor can be constructed in many different ways (see figures). For example, the emf sensor can be constructed with coaxial electrodes (see Fig. 8), sets of parallel electrodes (see Fig. 9), or sets of perpendicular electrodes (see Fig. 10).

It would have been obvious to one ordinary skill in the art to use Nolte's photoemf sensor in Piot's device as the sensor because Nolte's emf sensor improved responsibility at constant power and detection area without the need to focus tightly, therefore, allowing the optimum beam crossing angle (col. 1, lines 61-65).

## Response to Arguments

7. Applicant's arguments filed on 7/23/04 have been fully considered but they are not persuasive.

Applicant traverses the restriction requirement because claim 36, from which claims 38, 39, 42, and depend, was an original claim. The examiner disagrees because the original claims did not recite the limitation of *the hand surface*.

Art Unit: 2675

Applicant argues that Kokubo, Bidiville and Piot all operate on entirely different principles. First, they are imaging systems; that is, they require a lens for producing at the sensor an image of the object surface illuminated by the light source. Applicant also states that applicant's invention may include, but does not require, a lens. The examiner disagrees with applicant's arguments because applicant clear teaches a lens can be used. In addiction, applicant's arguments are irrelevant because the claimed limitations do not exclude the use of a lens. Applicant cannot show non-obviousness by attacking references individually where as here the rejections are based on combination of references. In re Keller, 208 USPQ 871 (CCPA 1981).

Applicant argues that Kokubo, Bidiville and Piot teach away from Nolte because Kokubo, Bidiville and Piot teaching the use of image position analysis, rather than notion generated differential EMF. The examiner disagrees with applicant arguments because all of Kokubo, Bidiville, Piot, and Nolte teach using a light source and a light sensor for sensing a movement of an object. It is clear that all these references teach the same sensing function.

#### Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis-Doon Chow whose telephone number is 703-305-4398. The examiner can normally be reached on 8:30-6:00, Alternate Monday off.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9314.

Art Unit: 2675

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-0377.

D. Chow November 8, 2004

> DENNIS-DOON CHOW PRIMARY EXAMMER